STATEMENT OF WORK (SOW) REBUILD OF SHAFT ASSEMBLY TRAVERSING NSN 1025-01-061-7078

- 1.0 Scope. The Statement of Work (SOW) establishes and sets forth tasks and identifies the work effort that shall be performed by the Contractor in the rebuild effort of the Shaft Assembly Traversing, NSN 1025-01-061-7078 in support of the M198 Howitzer, ID# 08198A, TAMCN E0665. (For purposes of this SOW, Contractor is defined as the commercial or government entity performing this rebuild). This document contains requirements to restore the Shaft Assembly Traversing to Condition Code "A." Condition Code A is defined as "serviceable/ issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining".
- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items."
- 2.0 Applicable Documents The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

2.1 Military Standards

MIL-STD-129

DoD Standard Practice for Military Marking

Military Standards - (For Guidance Only)

MIL-STD-973

Configuration Management

2.2 Other Government Documents and Publications

DMWR 9-1025-211-2

Depot Maintenance Work Requirement (DMWR)

W/ch 1-2 dtd May 97

P12008225 Packaging Data Sheets(PDS)

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel

from the Federal Supply System

2.3 Industry Standards

ANSI/ISO/ASOC 09003-1994 Ouality Systems-Model for Quality Assurance in

Final Inspection and Test

Copies of military specifications and standards are available from the DOD Single Stock Point, Defense Automation Production Service Philadelphia, Building 4D, Robbins Avenue, Philadelphia, PA 1911-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the contracting officer: Commander, Marine Corps Logistics Bases, (Code 894) Attn: Contracting Officer, 814 Radford Blvd., Albany, Georgia 31704-1128. Copies of engineering drawings, if applicable, shall be obtained from Commander (Code 825), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6410 or DSN 567-6410.)

3.0 Requirements

3.1 <u>Rebuild</u>. The contractor shall rebuild the Shaft Assembly Traversing in accordance with DMWR 9-1025-211-2, Chapter 4.

3.2 Quality Assurance/Quality Control

The contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.

Quality acceptance and test procedures shall be in accordance with DMWR 9-1025-211-2, chapter 5.

3.3 <u>Configuration Control.</u> The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without receiving prior written authorization. The baseline configuration has been defined by the written procedures or material contained in manuals, standards, instructions or engineering draweings. If it is necessary to depart from the authorized configuration baseline, the contractor shall submit a Request for Waiver using MIL-STD-973 (paragraph 5.4.3 or 5.4.4) as a guide.

3.4 Packaging Handling Storage and Transportation

- a. The contractor shall be responsible for preservation and packaging of items being rebuilt under the terms of this statement of work. Items scheduled for all destinations shall be in accordance with the Level "A" requirements of PDS P12008225 which may be obtained from Materiel Management Division, Logistics Support Section (822-1), Suite 20320, 814 Radford Blvd., Marine Corps Logistics Bases, Albany, Georgia 31704-0320, Commercial telephone (912) 439-6786, DSN 567-6786.
 - b. Marking shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps iwll be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

3.5 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)

GFE is government owned equipment authorized by contract for use by a commercial/Government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2). Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control system on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability Agreement to the Contractor for signature to establish a chain of custody and property responsibilities for the Marine Corps assets. The contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

3.6 Contractor Furnished Materiel

The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisiton through the DOD Supply System. DOD 4000.25-1-M (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DOD Supply System.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1704, Adington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shell be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. issted in Block E.

A. CONTRACT LINE ITEM NO. B. EXHIB D. SYSTEM/ITEM		B. EXHIBIT	HIBIT C. CATEGORY:			OTHER X						
						F. CONTRACTOR						
	ssembly Travers	ing			7.00							
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		<u> </u>		3. SUBTITLE		•					
A001		Request	For Deviation	Configuration Management								
4. AUTHORITY (Data Acqui			S. CONTRACT REFER			6. REQUIRING OFF						
	CMAN-80640B			SOW 3.3			MCLBA	4 (825)				
7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED	10. FREQUENC	SREQ	12. DATE OF FIRST SUBMIS		14. DIS	1					
8. APP CODE	A	11. AS OF DA		13. DATE OF SUBSEQUENT					b. COPIES			
S. AFT GODE		11. 23 01 02		SUBMISSION		a. AODRESSEE		Draft	Fir			
16, REMARKS	Α					MOLDA		Reg	Repro			
Blk 4 - Contra	actor format is au	thorized.				MCLBA (825-2)	0	1	0		
Blks 10 & 12 nonconformin documentation	- RFDs shall be s g material which i.	submitted does not	to obtain autl meet prescrib	horization to deli- bed configuration	ver							
RFDs will be receipt by the	reviewed and dis Government.	position d	etermined wi	thin 30 calendar	days upon							
RFDs shall be address: mbn	transmitted, in Anatomconfigung	ASCII fortgmnt@mat	nat, via E-M com.usmc.m	fail to the followi	ng							
Distribution S	tatement A: App	roved for	public releas	se, distribution is	unlimited		_			_		
	11			,		}	_	1				
						<u> </u>	· · · · · · · · · · · · · · · · · · ·	├	-			
							=	1				
								 				
								†				
							-					
							_					
								<u> </u>				
								<u> </u>				
								1				
								1				
						 		1 1				
								\vdash				
								\vdash				
								╁┈┤				
								ļ	-			
								1				
								1 1				
								<u> </u>				
			-	<u> </u>		15. TOTAL -	\Rightarrow	0	1	0		
G. PREPARED BY	\bigcirc		H. DATE	I. APPROVED	BY	/ /.	//	J. DATE				
		j	111	_ 9		/h/		2:	3-/	0		
(May)	pour		T.Feb.		u	100						
DD FORM 1423	· 1// AUG 96 (EG)		F	REVIOUS EDITION MAY 1	BE USED.			Page	of	Pages		

17, PRICE GROUP 18. ESTIMATED TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and meintaining the data needed, and completing and reviewing the collection of information. Send comments reparding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden. to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. ksted in Block E.

to the obvernment issuing con	tracting officer for the contracty	rn No. Rateu III biola	· E.									
A. CONTRACT LINE I	TEM NO.	B. EXHIBIT		C. CATEGORY: TDP TM OTHER								
				TDP		X						
D. SYSTEM/ITEM Shaft As	ssembly Traversi	no	E. CONTRACT/I	PR NO.	F. CONTRA	LCTOR						
DATA ITEM NO.	2. TITLE OF DATA ITEM	ng	··· · · ·		3. SUBTITLE						17. PRIC	
. DATA ITEM NO.	2. THE OF DATA HEM				3.30811122						17. FMG	
A002		Configuration N				nageme		18. ESTIM				
4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFERE			SOW 3.3		6. REQUIRING OFFICE			A (935)				
DI-CMAN-80641B 7. DD 250 RED S. DIST STATEMENT 10. FREQUENCY					THE STORY	MCLBA (825)						
LT	REQUIRED		SREQ	SEE BLK		14. DISTRIBUTION		ı				
B. APP CODE	A	11. AS OF DAT		13. DATE OF SUBSEQUENT		. An	TRESSEE	b. COPIES		ınal	` 	
				SUBMISSION		a. ADDRESSEE		Draft	Reg	Repro		
IG. REMARKS	<u> </u>					MCLBA	(825-2)	0	1	0		
Blk 4 - Contrac	ctor format is aut	thorized.				in EDI	(020 2)	Ť				
	RFWs shall be s material which		to obtain au neet prescri	thorization to d bed configuration	eliver on							
RFWs will be receipt by the (reviewed and dis Government.	position d	etermined w	vithin 30 calend	ar days upon							
RFWs shall be address: mbma	transmitted, in A	ASCII form	nat, via E-N om.usmc.m	Mail to the follo	wing							
Distribution Sta	atement A: App	roved for	public relea	se, distribution	is unlimited							
			r	,								
								ļ				
										\sqcup		
											İ	
											!	
						-					!	
								 		\vdash	!	
											i	
											İ	
									-		İ	
										lder		
								ļ		1		
								ļ		├	1	
								-		$\vdash \vdash \mid$	1	
									<u> </u>	$\vdash \vdash \vdash$	1	
								.		+	Ì	
								 			İ	
								1		\vdash		
										\vdash		
								1		\vdash	i	
								 			i	
						15. YOTAL		0	1	0		
G. PREPARED BY			H. DATE	I. APPROV	/ED.BY			J. DAT	Ē	` 	İ	
ann (Jovers		7.Feb	200 /	10	hi	1	3-	3-6	10	. !	
ĎD FÓRM 1423-1	1, AUG 96 (EG)		PREVIOUS EDITION MAY BE USED.							Pages	1	